

Federal Employee Program® Federal Employee Program® 1310 G Street, N.W. Washington, D.C. 20005 202.942.1000 Fax 202.942.1125

5.30.067

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 1 of 8

Last Review Date: September 8, 2023

Leuprolide

Description

leuprolide acetate 1mg/0.2mL

Eligard, Fensolvi, Leuprolide Acetate Depot, Lupron Depot (leuprolide acetate)

Camcevi (leuprolide mesylate)

Background

Leuprolide, a GnRH agonist, acts as a potent inhibitor of gonadotropin secretion when given continuously and in therapeutic doses. Human studies indicate that following an initial stimulation of gonadotropins, chronic stimulation with leuprolide results in suppression or "downregulation" of these hormones and consequent suppression of ovarian and testicular steroidogenesis. These effects are reversible on discontinuation of drug therapy (1-7).

Regulatory Status

FDA-approved indications: (1-8)

- Camcevi is indicated for the treatment of adult patients with advanced prostate cancer.
- Eligard is indicated for the palliative treatment of advanced prostate cancer.
- Fensolvi is indicated for the treatment of pediatric patients 2 years of age and older with central precocious puberty (CPP).
- Leuprolide acetate 1mg/0.2mL for subcutaneous injection is indicated:
 - In the palliative treatment of advanced prostatic cancer
- Leuprolide Acetate Depot is indicated:
 - For palliative treatment of advanced prostatic cancer

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 2 of 8

Lupron Depot is indicated:

- For the management of endometriosis, including pain relief and reduction of endometriotic lesions.
- With iron therapy before fibroid surgery to improve anemia from fibroids.
- For the treatment of advanced prostate cancer.
- o For the treatment of children with central precocious puberty (CPP).

Off-Label Uses: (9-10)

- Breast cancer
- Infertility, with or without assisted reproductive technology (ART)

NCCN recommends the use of Lupron Depot in males and females with breast cancer (8).

Leuprolide may prolong the QT/QTc interval. Providers should consider whether the benefits of leuprolide therapy outweigh the potential risks in patients with congenital long QT syndrome, congestive heart failure, frequent electrolyte abnormalities, and in patients taking drugs known to prolong the QT interval (1-7).

The safety and effectiveness of leuprolide for CPP in pediatric patients less than 2 years of age have not been established. The safety and effectiveness of leuprolide for advanced prostate cancer in pediatric patients less than 18 years of age have not been established. The safety and effectiveness of Lupron Depot for the management of endometriosis and hematologic improvement of women with anemia caused by fibroids have been established in females of reproductive age (1-7).

Related policies

ART Drugs, HCG

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Leuprolide may be considered **medically necessary** if the conditions indicated below are met.

Leuprolide may be considered **investigational** for all other indications.

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 3 of 8

Prior-Approval Requirements

When used for medically assisted reproduction the use of Leuprolide is limited to 3 cycles per benefit year for *in vitro* fertilization procedures. There are no cycle limits when used for artificial insemination procedures.

Diagnoses

Female

Patient must have **ONE** of the following:

- Infertility, NOT used in conjunction with assisted reproductive technology (ART) procedures
- 2. Infertility, used in conjunction with assisted reproductive technology (ART) procedures which include but are not limited to:
 - i. Artificial insemination (AI), including the following:
 - 1. Intravaginal insemination (IVI)
 - 2. Intracervical insemination (ICI)
 - 3. Intrauterine insemination (IUI)
 - ii. In vitro fertilization (IVF), including the following:
 - 1. Embryo transfer and gamete intrafallopian transfer (GIFT)
 - 2. Zygote intrafallopian transfer (ZIFT)
 - 3. Intracytoplasmic sperm injection (ICSI)
- 3. Fensolvi only:
 - a. Central precocious puberty (CPP)
 - i. 2 years of age or older
- 4. Lupron Depot and Leuprolide Acetate Depot only:
 - a. Central precocious puberty (CPP)
 - i. 2 years of age or older
 - b. Endometriosis
 - c. Uterine fibroids
 - d. Breast cancer

<u>Male</u>

Patient must have **ONE** of the following:

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 4 of 8

1. Camcevi, Eligard and leuprolide acetate 1mg/0.2mL only:

a. Advanced prostate cancer

a. 18 years of age or older

- 2. Fensolvi only:
 - a. Central precocious puberty (CPP)
 - a. 2 years of age or older
- 3. Lupron <u>Depot</u> and Leuprolide Acetate <u>Depot</u> only:
 - a. Central precocious puberty (CPP)
 - a. 2 years of age or older
 - b. Advanced prostate cancer
 - a. 18 years of age or older
 - c. Breast cancer

AND NOT used for the following for both males and females:

- 1. Weight loss
- 2. Anti-aging effects
- 3. Performance (athletic) enhancement
- 4. Erectile or sexual dysfunction

Diagnosis

Patient must have the following:

Gender Dysphoria (GD)

Prior - Approval Renewal Requirements

Diagnoses

Female

Patient must have **ONE** of the following:

- Infertility, NOT used in conjunction with assisted reproductive technology (ART) procedures
- 2. Infertility, used in conjunction with assisted reproductive technology (ART) procedures which include but are not limited to:

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 5 of 8

- 1. Artificial insemination (AI), including the following:
 - a. Intravaginal insemination (IVI)
 - b. Intracervical insemination (ICI)
 - c. Intrauterine insemination (IUI)
- 2. In vitro fertilization (IVF), including the following:
 - a. Embryo transfer and gamete intrafallopian transfer (GIFT)
 - b. Zygote intrafallopian transfer (ZIFT)
 - c. Intracytoplasmic sperm injection (ICSI)
- 3. Fensolvi only:
 - a. Central precocious puberty (CPP)
 - i. 2 years of age or older
- 4. Lupron <u>Depot</u> and Leuprolide Acetate <u>Depot</u> only:
 - a. Central precocious puberty (CPP)
 - i. 2 years of age or older
 - b. Endometriosis
 - c. Uterine fibroids
 - d. Breast cancer

Male

Patient must have **ONE** of the following:

- 1. Camcevi, Eligard and leuprolide acetate 1mg/0.2mL only:
 - a. Advanced prostate cancer
 - i. 18 years of age or older
- 2. Fensolvi only:
 - a. Central precocious puberty (CPP)
 - i. 2 years of age or older
- 3. Lupron Depot and Leuprolide Acetate Depot only:
 - a. Central precocious puberty (CPP)
 - i. 2 years of age or older
 - b. Advanced prostate cancer
 - i. 18 years of age or older
 - c. Breast cancer

AND NOT used for the following for both males and females:

- 1. Weight loss
- 2. Anti-aging effects
- 3. Performance (athletic) enhancement

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 6 of 8

4. Erectile or sexual dysfunction

Diagnosis

Patient must have the following:

Gender Dysphoria (GD)

Policy Guidelines

Pre - PA Allowance

None

Prior – Approval Limits

When used for medically assisted reproduction the use of Leuprolide is limited to 3 cycles per benefit year for *in vitro* fertilization procedures. There are no cycle limits when used for artificial insemination procedures.

Diagnosis	Duration
Gender Dysphoria	2 years
ART - IVF procedures	4 months
ART - Al procedures	12 months
All other indications	12 months

Prior - Approval Renewal Limits

Diagnosis	Duration
Gender Dysphoria	2 years
ART - IVF procedures	4 months*
	*ONLY two renewals every
	calendar year
ART - Al procedures	12 months
All other indications	12 months

Section: Prescription Drugs Effective Date: January 1, 2024

Subsection: Endocrine and Metabolic Drugs Original Policy Date: May 29, 2020

Subject: Leuprolide Page: 7 of 8

Rationale

Summary

Leuprolide, a GnRH agonist, acts as a potent inhibitor of gonadotropin secretion when given continuously and in therapeutic doses. Human studies indicate that following an initial stimulation of gonadotropins, chronic stimulation with leuprolide results in suppression or "downregulation" of these hormones and consequent suppression of ovarian and testicular steroidogenesis. These effects are reversible on discontinuation of drug therapy. Leuprolide is used in the treatment of advanced prostate cancer, endometriosis, uterine fibroids, central precocious puberty, breast cancer, or gender dysphoria. The safety and effectiveness of leuprolide for CPP in pediatric patients less than 2 years of age have not been established. The safety and effectiveness of leuprolide for advanced prostate cancer in pediatric patients less than 18 years of age have not been established. The safety and effectiveness of Lupron Depot for the management of endometriosis and hematologic improvement of women with anemia caused by fibroids have been established in females of reproductive age (1-7).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of leuprolide while maintaining optimal therapeutic outcomes.

References

- 1. Camcevi [package insert]. Taipei City, Taiwan: Foresee Pharmaceuticals Co., Ltd.; May 2021.
- 2. Eligard [package insert]. Fort Collins, CO: Tolmar Pharmaceuticals, Inc.; April 2019.
- 3. Fensolvi [package insert]. Fort Collins, CO: Tolmar Pharmaceuticals, Inc.; March 2022.
- 4. Leuprolide Acetate Injection [package insert]. Princeton, NJ: Sandoz Inc.; June 2020.
- 5. Leuprolide Acetate Depot [package insert]. Warren, NJ: Cipla USA, Inc. May 2022.
- 6. Lupron Depot GYN [package insert]. North Chicago, IL: AbbVie Inc.; February 2021.
- 7. Lupron Depot URO [package insert]. North Chicago, IL: AbbVie Inc.; April 2022.
- 8. Lupron Depot-PED [package insert]. North Chicago, IL: AbbVie Inc.; March 2021.
- 9. NCCN Drugs & Biologics Compendium® Leuprolide Acetate 2022. National Comprehensive Cancer Network, Inc. Accessed on July 22, 2022.
- Al-Inany HG, Youssef MA, Ayeleke RO, Brown J, Lam WS, Broekmans FJ. Gonadotrophinreleasing hormone antagonists for assisted reproductive technology. *Cochrane Database Syst Rev.* 2016;4(4):CD001750.

Policy History

Section:Prescription DrugsEffective Date:January 1, 2024Subsection:Endocrine and Metabolic DrugsOriginal Policy Date:May 29, 2020

Subject: Leuprolide Page: 8 of 8

Date	Action
May 2020	Addition to PA
September 2020	Annual review
November 2020	Addition of off-label indication for Lupron Depot per NCCN: breast cancer
March 2021	Annual review and reference update
July 2021	Addition of Camcevi to policy. Renamed policy Leuprolide
August 2021	Added leuprolide acetate 1mg/0.2mL to the header and criteria to assist in differentiating between generic (non-depot) Lupron and other leuprolide products
September 2021	Annual review and reference update
June 2022	Annual editorial review and reference update
September 2022	Annual review and reference update. Per SME, added QT/QTc prolongation warning to regulatory status
December 2022	Annual review. Removed GD requirements of meeting DSM criteria and being prescribed by an endocrinologist or transgender specialist
January 2022	Addition of Leuprolide Acetate Depot to the policy
March 2023	Annual review
September 2023	Annual review
January 2024	Per FEP, added infertility with no procedure and infertility with ART as approvable diagnoses with a limit of 3 cycles per year for IVF-related procedures and unlimited cycles of AI-related procedures
Keywords	

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on September 8, 2023 and is effective on January 1, 2024.