

Federal Employee Program. Blue Cross Blue Shield Association 750 9th St NW, Suite 900 Washington, D.C. 20001 1-800-624-5060

Fax 1-877-378-4727

5.99.018

Section: **Prescription Drugs Effective Date:** January 1, 2025

Subsection: Miscellaneous Products **Original Policy Date:** July 10, 2020

Subject: 1 of 4 Uplizna Page:

Last Review Date: December 13, 2024

Uplizna

Description

Uplizna (inebilizumab-cdon)

Background

Uplizna (inebilizumab-cdon) is a CD19-directed cytolytic antibody. CD19 is a cell surface antigen that presents on pre-B and mature B lymphocytes. Following binding to B lymphocytes, Uplizna results in antibody-dependent cellular cytolysis (1).

Regulatory Status

FDA-approved indication: Uplizna is indicated for the treatment of neuromyelitis optica spectrum disorder (NMOSD) in adult patients who are anti-aquaporin-4 (AQP4) antibody positive (1).

Uplizna is contraindicated in patients with active hepatitis B infection or active or untreated latent tuberculosis. Prior to initiating Uplizna, patients should be screened for Hepatitis B virus (HBV) and patient should be evaluated for active tuberculosis and tested for latent infection (1).

Immunizations should be administered at least 4 weeks prior to initiation of Uplizna. The safety of immunization with live or live-attenuated vaccines following Uplizna therapy has not been studied, and vaccination with live-attenuated or live vaccines is not recommended during treatment and until B-cell repletion (1).

Uplizna can cause fetal harm. Females of reproductive potential should be advised to use effective contraception while receiving Uplizna and for at least 6 months after the last dose (1). Section:Prescription DrugsEffective Date:January 1, 2025Subsection:Miscellaneous ProductsOriginal Policy Date:July 10, 2020

Subject: Uplizna Page: 2 of 4

The safety and effectiveness of Uplizna in pediatric patients less than 18 years of age have not been established (1).

Related policies

Enspryng, Soliris

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Uplizna may be considered **medically necessary** if the conditions indicated below are met.

Uplizna may be considered investigational for all other indications.

Prior-Approval Requirements

Age 18 years of age or older

Diagnosis

Patient must have the following:

Neuromyelitis optica spectrum disorder (NMOSD)

AND ALL of the following:

- a. Anti-aquaporin-4 (AQP4) antibody positive
- b. NO active hepatitis B infection
- c. **NOT** given concurrently with live vaccines
- d. NO active or untreated latent tuberculosis
- e. Females of reproductive potential **only**: patient will be advised to use effective contraception during treatment with Uplizna and for 6 months after the last dose

Prior - Approval Renewal Requirements

Age 18 years of age or older

Diagnosis

Patient must have the following:

Section: Prescription Drugs Effective Date: January 1, 2025

Subsection: Miscellaneous Products Original Policy Date: July 10, 2020

Subject: Uplizna Page: 3 of 4

Neuromyelitis optica spectrum disorder (NMOSD)

AND ALL of the following:

- a. Patient has had fewer relapses while on Uplizna therapy
- b. NO active hepatitis B infection
- c. **NOT** given concurrently with live vaccines
- d. NO active or untreated latent tuberculosis
- e. Females of reproductive potential **only**: patient will be advised to use effective contraception during treatment with Uplizna and for 6 months after the last dose

Policy Guidelines

Pre - PA Allowance

None

Prior - Approval Limits

Quantity 9 vials

Duration 12 months

Prior - Approval Renewal Limits

Quantity 6 vials

Duration 12 months

Rationale

Summary

Uplizna (inebilizumab-cdon) is a CD19-directed cytolytic antibody. CD19 is a cell surface antigen that presents on pre-B and mature B lymphocytes. Following binding to B lymphocytes, Uplizna results in antibody-dependent cellular cytolysis. The safety and effectiveness of Uplizna in pediatric patients less than 18 years of age have not been established (1).

Prior authorization is required to ensure the safe, clinically appropriate, and cost-effective use of Uplizna while maintaining optimal therapeutic outcomes.

References

5.99.018

Section:Prescription DrugsEffective Date:January 1, 2025Subsection:Miscellaneous ProductsOriginal Policy Date:July 10, 2020

Subject: Uplizna Page: 4 of 4

1. Uplizna [package insert]. Gaithersburg, MD: Viela Bio, Inc.; July 2021.

Policy History	
Date	Action
July 2020	Addition to PA
September 2020	Annual review
December 2020	Annual review
December 2021	Annual review and reference update
December 2022	Annual review. Changed policy number to 5.99.018
December 2023	Annual review
December 2024	Annual review
Keywords	

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on December 13, 2024 and is effective on January 1, 2025.