

5.99.033

Section:	Prescription Drugs	Effective Date:	April 1, 2026
Subsection:	Miscellaneous Products	Original Policy Date:	January 1, 2026
Subject:	Rhapsido	Page:	1 of 5

Last Review Date: March 6, 2026

Rhapsido

Description

Rhapsido (remibrutinib)

Background

Rhapsido (remibrutinib) is an oral, small molecule kinase inhibitor that inhibits Bruton's tyrosine kinase (BTK). BTK is an intracellular protein expressed in mast cells, basophils, B cells, macrophages, and thrombocytes. BTK is involved in intracellular signaling. Rhapsido also inhibits the BTK-related kinases tec protein tyrosine kinase (TEC) and BMX non-receptor tyrosine kinase (BMX). Rhapsido inhibits mast cell and basophil degranulation, including release of histamine and other proinflammatory mediators, mediated by pathogenic IgE or IgG (1).

Regulatory Status

FDA-approved indication: Rhapsido is a kinase inhibitor indicated for the treatment of chronic spontaneous urticaria (CSU) in adult patients who remain symptomatic despite H1 antihistamine treatment (1).

Limitations of Use: (1)

- Not indicated for other forms of urticaria.

Rhapsido has warnings for risk of bleeding and live attenuated vaccines. Treatment with Rhapsido should be interrupted for 3 to 7 days pre- and post-surgery or invasive procedures. Use of antithrombotic agents concomitantly with Rhapsido may further increase the risk of bleeding. Monitor for signs and symptoms of bleeding. The use of live and live-attenuated vaccines should be avoided in patients receiving Rhapsido (1).

The safety and effectiveness of Rhapsido in pediatric patients less than 18 years of age have

Section:	Prescription Drugs	Effective Date:	April 1, 2026
Subsection:	Miscellaneous Products	Original Policy Date:	January 1, 2026
Subject:	Rhapsido	Page:	2 of 5

not been established (1).

Related policies

Dupixent, Xolair

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Rhapsido may be considered **medically necessary** if the conditions indicated below are met.

Rhapsido may be considered **investigational** for all other indications.

Prior-Approval Requirements

Age 18 years of age or older

Diagnosis

Patient must have the following:

Chronic spontaneous urticaria (CSU)

AND ALL of the following with provided documentation (e.g., medical records, laboratory values):

1. Symptomatic after at least **TWO** previous trials of H1-antihistamines
2. Baseline urticaria activity score (UAS)
(e.g., <https://www.mdcalc.com/urticaria-activity-score-uas>)
3. **NO** dual therapy with another monoclonal antibody for the treatment of CSU (see Appendix 1)
4. **NOT** given concurrently with live vaccines
5. Patient **MUST** have tried the preferred product(s) (see Appendix 2) unless the patient has a valid medical exception (e.g., inadequate treatment response, intolerance, contraindication)

All approved requests are subject to review by a clinical specialist for final validation and coverage determination once all required documentation has been received. Current utilization, including samples, does not guarantee approval of coverage.

Section:	Prescription Drugs	Effective Date:	April 1, 2026
Subsection:	Miscellaneous Products	Original Policy Date:	January 1, 2026
Subject:	Rhapsido	Page:	3 of 5

Prior – Approval *Renewal* Requirements

Age 18 years of age or older

Diagnosis

Patient must have the following:

Chronic spontaneous urticaria (CSU)

AND ALL of the following with provided documentation (e.g., medical records, laboratory values):

1. Decrease in urticaria activity score (UAS), such as improvement in pruritic wheals, hives, and itching
(e.g., <https://www.mdcalc.com/urticaria-activity-score-uas>)
2. **NO** dual therapy with another Prior Authorization (PA) medication for the treatment of CSU (see Appendix 1)
3. **NOT** given concurrently with live vaccines
4. Patient **MUST** have tried the preferred product(s) (see Appendix 2) unless the patient has a valid medical exception (e.g., inadequate treatment response, intolerance, contraindication)

All approved requests are subject to review by a clinical specialist for final validation and coverage determination once all required documentation has been received. Current utilization, including samples, does not guarantee approval of coverage.

Policy Guidelines

Pre - PA Allowance

None

Prior - Approval Limits

Quantity 50 mg per day

Duration 12 months

Prior – Approval *Renewal* Limits

Same as above

Section:	Prescription Drugs	Effective Date:	April 1, 2026
Subsection:	Miscellaneous Products	Original Policy Date:	January 1, 2026
Subject:	Rhapsido	Page:	4 of 5

Rationale

Summary

Rhapsido is a kinase inhibitor indicated for the treatment of chronic spontaneous urticaria (CSU) in adult patients who remain symptomatic despite H1 antihistamine treatment. The safety and effectiveness of Rhapsido in pediatric patients less than 18 years of age have not been established (1).

Prior authorization is required to ensure the safe, clinically appropriate, and cost-effective use of Rhapsido while maintaining optimal therapeutic outcomes.

References

1. Rhapsido [package insert]. East Hanover, NJ: Novartis Pharmaceuticals Corporation; September 2025.

Policy History

Date	Action
January 2026	Addition to PA
March 2026	Annual review

Keywords

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on March 6, 2026 and is effective on April 1, 2026.

Section:	Prescription Drugs	Effective Date:	April 1, 2026
Subsection:	Miscellaneous Products	Original Policy Date:	January 1, 2026
Subject:	Rhapsido	Page:	5 of 5

Appendix 1 - List of PA Medications for CSU

Generic Name	Brand Name
dupilumab	Dupixent
omalizumab	Xolair
remibrutinib	Rhapsido

Appendix 2 - List of Preferred Products

List of preferred products:

https://info.caremark.com/content/dam/enterprise/caremark/microsites/dig/pdfs/pa-fep/fep-misc/FEP_IndicationMedChx.pdf

Refer to formulary documents for confirmation of coverage:

<https://www.fepblue.org/pharmacy/prescriptions#drug-list>